

Pacific Northwest Neuropsychology Society Workshop – March 3, 2012

*Clinical applications in neurorehabilitation with children and adults:  
Building on principles of neuroplasticity*

Catherine A. Mateer  
Kimberly A. Kerns  
Department of Psychology University of Victoria

**Resource List**

- Anson, K., & Ponsford, J. (2006). Who benefits? Outcome following a coping skills group for traumatically brain injured individuals. *Brain Injury*, 20, 1-13.
- Backhaus SL, Ibarra SL, Klyce D, Trexler LE, & Malec JF. (2010). Brain Injury Coping Skills Group: a preventative intervention for patients with brain injury and their caregivers. *Archives of Physical Medicine and Rehabilitation*, 91, 840-8.
- Berry, E., Kapur, N., Williams, L., Hodges, S., Watson, P., Smyth, G., Srinivasan, J., Smith, R., Wilson, B. & Wood, K. (2007). The use of a wearable camera, SenseCam, as a pictorial diary to improve autobiographical memory in a patient with limbic encephalitis: A preliminary report. *Neuropsychological Rehabilitation* 17, 582-601.
- Braden, C., Hawley, L., Newman, J., Morey, C., Gerber, D., & Harrison-Felix, C. (2010). Social communication skills group treatment: A feasibility study for persons with traumatic brain injury and comorbid conditions. *Brain Injury*, 24, 1298-1310.
- Brett AW, Laatsch L. (1998.) Cognitive rehabilitation therapy of braininjured students in a public high school setting. *Pediatric Rehabilitation*, 2(1), 27–31.
- Brindley, R., Bateman, A. & Gracey, F. (2011). Exploration of use of SenseCam to support autobiographical memory retrieval within a cognitive-behavioural therapeutic intervention following acquired brain injury. *Memory*, 19(7), 685-696.
- Butler RW, Copeland DR. (2002). Attentional processes and their remediation in children treated for cancer: a literature review and the development of a therapeutic approach. *Journal of the International Neuropsychological Society*, 8 (1), 115–124.
- Bulter RW, Mulhern RK. (2005). Neurocognitive interventions for children and adolescents surviving cancer. *Journal of Pediatric Psychology*, 30, 65-78.
- Cattelani, R., Zettin, M. & Zoccolotti, P. (2010). Rehabilitation Treatments for Adults with Behavioral and Psychosocial Disorders Following Acquired Brain Injury: A Systematic Review. *Neuropsychology Review*, 20, 52-85.
- Chapman SS, Ewing CB, Mozzoni MP. (2005). Precision teaching and fluency training across cognitive, physical, and academic tasks in children with traumatic brain injury: a

multiple baseline study. *Behavioral Interventions*, 20, 37–49.

Chen, A. J., Novakovic-Agopian, T., Nycum, T. J., Song, S., Turner, G. R., Hills, N. K., Rome, S., Abrams, G. M., & D'Esposito, M. (2011). Training of goal-directed attention regulation enhances control over neural processing for individuals with brain injury. *Brain*, 134, 1541-1554.

Cicerone, K.D., & Azulay, J. (2007). Perceived self-efficacy and life satisfaction after traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 22, 257-266.

Cicerone, K.D., Langenbahn, D.M., Braden, C., Malec, J.F., Kalmar, K., Fraas, M., Felicetti, T., Laatsch, L., Harley, J.P., Bergquist, T., Azulay, J., Cantor, J. & Ashman, T. (2011). Evidence-based cognitive rehabilitation: Updated review of the literature from 2003 through 2008. *Archives of Physical Medicine and Rehabilitation*, 92, 519-530.

Cicerone, K.D., Levin, H., Malec, J., Stuss, D. & Whyte, J. (2006). Cognitive Rehabilitation Interventions for Executive Function: Moving from Bench to Bedside in Patients with Traumatic Brain Injury. *Journal of Cognitive Neuroscience*, 18, 7, 1212–1222.

Cicerone, K. D., Mott, T., Azulay, J., Sharlow-Galella, M. A., Ellmo, W. J., Paradise, S., & Friel, J. C. (2008). A randomized controlled trial of holistic neuropsychological rehabilitation after traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 89, 2239-2249.

Clatworthy, J., Hankins, M., Buick, D., Weinman, J. & Horne, R. (2007). Cluster analysis in illness perception research: A Monte Carlo study to identify the most appropriate method. *Psychology and Health*, 22, 2, 123-142.

Conway, M.A. (2005). Memory and the self. *Journal of Memory and Language*, 53, 4, 594-628.

Couillet, J., Soury, S., Lebornec, G., Asloun, S., Joseph, P.A., Mazaux, J.M. & Azouvi, P. (2010). Rehabilitation of divided attention after severe traumatic brain injury: a randomized trial. *Neuropsychological Rehabilitation*, 20, 3, 321-339.

Dahlberg, C. A., Cusick, C. P., Hawley, L. A., Newman, J. K., Morey, C. E., & Harrison-Felix, C. L. (2007). Treatment efficacy of social communication skills training after traumatic brain injury: A randomized treatment and deferred treatment controlled trial. *Archives of Physical Medicine and Rehabilitation*, 88, 1561-1573.

Evans, J.J., Greenfield, E., Wilson, B.A. & Bateman, A. (2009). Walking and Talking Therapy: Improving Cognitive–Motor Dual-Tasking in Neurological Illness. *Journal of the International Neuropsychological Society*, 15, 1, 112-120.

Feeney T, Ylvisaker M. (2003). Context-sensitive behavioral supports for young children

with TBI: short-term effects and long-term outcomes. *Journal of Head Trauma Rehabilitation*, 18(1), 35–51.

Feeney T, Ylvisaker M. (2006). Context-sensitive cognitive behavioural supports for young children with TBI: A replication study. *Brain Injury*. 20(6): 629-645.

Galvin J, Mandalis A. (2009). Executive skills and their functional implications: Approaches to rehabilitation after childhood TBI. *Developmental Neurorehabilitation*. 12(5); 352-360.

Gardner RM, Bird FL, Maguire H, Carreiro R, Abenaim N. (2003). Intensive positive behavior supports for adolescents with acquired brain injury: long-term outcomes in community settings. *Journal of Head Trauma Rehabilitation*, 18 (1), 52–74.

Gillespie, A., Best, C., & O’Neill, B. (2012). Cognitive function and assistive technology for cognition: a systematic review. *Journal of the International Neuropsychological Society*, 18, 1-19.

Glang A, Ylvisaker M, Stein M, Ehlhardt, L, Todis B, Tyler J. (2008). Validated instructional practices: Application to students with traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 12(4), 243-251.

Goverover, Y., Chiaravalloti, N., & DeLuca, J. (2010). Pilot study to examine the use of self-generation to improve learning and memory in people with traumatic brain injury. *American Journal of Occupational Therapy*, 64, 540–546.

Grilli, M.D. & Glisky, E.L. (2010) Self-imagining enhances recognition memory in memory-impaired individuals with neurological damage. *Neuropsychology*, 24, 698–710.

Hewitt, J., Evans, J. J., & Dritschel, B. (2006). Theory driven rehabilitation of executive functioning: Improving planning skills in people with traumatic brain injury through use of an autobiographical episodic memory cueing procedure. *Neuropsychologia*, 44, 1468-1474.

Holmes J, Gathercole SE, Dunning, DL. (2009). Adaptive training leads to sustained enhancement of poor working memory in children, *Developmental Science* 12(4):F9–F15.

Hunter, S. J., & Donders, J. (Eds). (2007). *Pediatric neuropsychological intervention*. New York: Cambridge University Press.

Kerns KA, Eso K, (1999). Thompson J. Investigation of a Direct Intervention for Improving attention in Young Children with ADHD. *Developmental Neuropsychology*, 19(2): 273-295.

Kerns KA, MacSween J, Vander Wekken S, Gruppuso, V (2010). Investigating the efficacy of an attention training programme in children with foetal alcohol spectrum disorder, *Developmental Neurorehabilitation*, 13, 413-422.

Kesler SR, Sheau K, Koovakkattu D, Reiss AL, (2011). Changes in frontal-parietal activation and math skills performance following adaptive number sense training: Preliminary results from a pilot study, *Neuropsychological Rehabilitation*, 21, 433–454.

Kit, K., Mateer, C.A. & Graves, R. (2007). The Influence of Memory Beliefs in Individuals with Traumatic Brain Injury. *Psychological Rehabilitation*, 52, 25-32.

Kit, K., Tuokko, H. & Mateer, C.S. (2008). A review of the stereotype threat literature and its application in a neurological population." *Neuropsychology Review*, 18, 132-148.

Kleim JA, Jones TA. (2008). Principles of experience-dependent neural plasticity: Implications for rehabilitation after brain damage. *Journal of Speech and Language Hearing Research*, 51(Supp): S225- S239.

Klingberg, T. (2010). Training and plasticity of working memory. *Trends in Cognitive Sciences*, 14(7), 317-324.

Kreutzer, J. S., Stejskal, T. M., Ketchum, J. M., Marwitz, J. H., Taylor, L. A., & Menzel, J. C. (2009). A preliminary investigation of the brain injury family intervention: Impact on family members. *Brain Injury*, 23, 535-547.

Kreutzer, J. S., Marwitz, J. H., Godwin, E. E., & Arango-Lasprilla, J. C. (2010a). Practical approaches to family intervention after brain injury. *Journal of Head Trauma Rehabilitation*, 25, 113-120.

Kreutzer, J. S., Stejskal, T. M., Godwin, E. E., Powell, V. D., & Arango-Lasprilla, J. C. (2010b). A mixed methods evaluation of the Brain Injury Family Intervention. *Neurorehabilitation*, 27, 19-29.

Laatsch L, Harrington D, Hotz G, Marcantuono J, Mozzoni MP, Walsh V, Pike Hersey K. (2007). An evidence-based review of cognitive and behavioral rehabilitation treatment studies in children with acquired brain injury. *Journal of Head Trauma Rehabilitation*, 22(4), 248-256.

Langlois J, Rutland-Brown W, Thomas K. (2005). The incidence of traumatic brain injury among children in the United States: differences by race. *Journal of Head Trauma Rehabilitation*. 20(3), 229–238.

Levine, B., Robertson, I. H., Clare, L., Carter, G., Hong, J., Wilson, B. A., Duncan, J., & Stuss, D. T. (2000). Rehabilitation of executive functioning: An experimental-clinical

validation of Goal Management Training. *Journal of the International Neuropsychological Society*, 6, 299-312.

Levine, B., Schweizer, T. A., O'Connor, C., Turner, G., Gillingham, S., Stuss, D. T., Manly, T., & Robertson, I. H. (2011). Rehabilitation of executive functioning in patients with frontal lobe brain damage with goal management training. *Frontiers in Human Neuroscience*, 5, 9.

Light, K.R., Kolata, S., Wass, C., Denman-Brice, A., Zagalsky, R. & Matzel, L.D. (2010). Working memory training promotes general cognitive abilities in genetically heterogenous mice. *Current Biology*, 20, 8, 777-782.

Lillie, R., Kowalski, K., Patry, B., Sira, C., Tuokko, H. & Mateer, C.A. (2010). Everyday impact of traumatic brain injury. In T. Marcotte & I. Grant (Eds.). *Neuropsychology of Everyday Functioning*. Pp. 302-330. New York, NY: Guilford Publications.

Lillie, R. & Mateer, C.A. (2006). Constraint-based therapies as a proposed model for cognitive rehabilitation. *Journal of Head Trauma Rehabilitation*, 21, 119-130.

Limond J, Leek R.(2005). Practitioner review: cognitive rehabilitation for children with acquired brain injury. *Journal of Child Psychology and Psychiatry*, 46, 339–352.

Lundqvist, A., Linnros, H., Orlenius, H., & Samuelson, K. (2010). Improved self-awareness and coping strategies for patients with acquired brain injury: A group therapy programme. *Brain Injury*, 24, 823-832.

Mateer C. (1999). The rehabilitation of executive disorders. In: Stuss DT, Winocur G, Robertson IH, editors. *Cognitive neurorehabilitation*. Cambridge: Cambridge University Press; pp 314–332.

Mateer, C.A. (2003). Cognitive rehabilitation. In M. Rizzo & P.J. Eslinger (Eds.) Principles and practices of behavioral neurology and neuropsychology. Orlando, FL: W.B. Saunders, pp. 1013-1026.

Mateer, C.A. (2004). Fundamentals of cognitive rehabilitation. In P.W. Halligan & D. Wade (eds.), The Effectiveness of Rehabilitation for Cognitive Deficits. New York: Oxford University Press, pp. 21-30.

Mateer, C.A. & Bogod, N. (2003). Cognitive, Behavioral and Selected Pharmacological Intervention in Rehabilitation after Acquired Brain Injury. In B.S. Fogel, R.B. Schiffer, & S. M. Rao (Eds.) Neuropsychiatry, Second Edition, Baltimore, MD: Lippincott, Williams & Wilkins, pp. 165-184.

Mateer, C.A. & Sira, C.S. (2004). Helping brain-injured clients return to work: The importance of cognitive rehabilitation." *Rehab Review*, 28, 11-17.

Mateer, C.A. & Sira, C.S. (2007). Cognitive and emotional consequences of TBI: Intervention strategies for vocational rehabilitation. *Neurorehabilitation*, 21, 315-326.

Mateer, C.A. & Sira, C.S. (2007). Cognitive rehabilitation for clinical neuropsychologists. In J.E. Morgan & J.H. Ricker (eds.), Handbook of Clinical Neuropsychology. New York, NY. Taylor and Francis.

Medley, A.R., Powell, T., Worthington, A., Chohan, G. & Jones, C. (2010). Brain injury beliefs, self-awareness, and coping: A preliminary cluster analytic study based within the self-regulatory model. *Neuropsychological Rehabilitation*, 20, 6, 899–921.

Medley, A.R., Powell, T. (2010). Motivational interviewing to promote self-awareness and engagement in rehabilitation following acquired brain injury: A conceptual review. *Neuropsychological Rehabilitation*, 4, 481-508.

Michel, R. & Mateer, C.A., (2006). Attention rehabilitation following stroke and traumatic brain injury: A review. *Europa Medicophysica*, 42, 59-67.

Nash, K., Stevens, S., Greenbaum, R., Wiener, J., Koren, G., & Rovet, J. (2012). Improving executive functioning in children with fetal alcohol spectrum disorders. Manuscript submitted for publication.

Nash, K., Stevens, S., Greenbaum, R., Taylor, M., Koren, G., & Rovet, J. (2012). Evidence for neuroplasticity: Self regulation therapy alters frontal-striatal BOLD response in children with fetal alcohol spectrum disorders. Manuscript submitted for publication.

Novakovic-Agopian, T., Chen, A. J.-W., Rome, S., Abrams, G., Castelli, H., Rossi, A., McKim, R., Hills, N., & D'Esposito, M. (2010). Rehabilitation of executive functioning with training in attention regulation applied to individually defined goals: A pilot study bridging theory, assessment and treatment. *Journal of Head Trauma Rehabilitation*, 26, 325-338.

O'Neil-Pirozzi, T.M., Strangman, G.E., Goldstein, R., Katz, D.E., Savage, C.R., Kelkar, K., Supelana, C., Burke, D., Rauch, S.L. & Glenn, M.B. (2010). A controlled treatment study of internal memory strategies (I-MEMS) following traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 25, 43-51.

Owensworth, T. (2010). A metacognitive contextual approach for facilitating return to work following acquired brain injury: Three descriptive cases. *Work*, 36, 381-388.

Owensworth, T. L., McFarlane, K., & Young, R. M. (2000). Self-awareness and psychosocial functioning following acquired brain injury: An evaluation of a group support programme. *Neuropsychological Rehabilitation*, 10, 465-484.

Owensworth, T., Quinn, H., Fleming, J., Kendall, M., & Shum, D. (2010). Error self-regulation following traumatic brain injury: A single case study evaluation of metacognitive skills training and behavioral practice interventions. *Neuropsychological Rehabilitation, 20*, 59-80.

Park, N.W. & Ingles, J.L. (2001). Effectiveness of attention rehabilitation after an acquired brain injury: A meta-analysis. *Neuropsychology, 15*, 2, 199-210.

Patry, B.N. & Mateer, C.A. (2008). Neuropsychological assessment of moderate to severe Traumatic Brain Injury. In G. Young, A. Kane, & K. Nicholson (eds.), Psychological Knowledge in Court: PTSD, Pain, and TBI. New York: Springer Press. 352-377.

Ponsford, J. (2008). Rehabilitation of attention following traumatic brain injury. In D.T. Stuss, G. Winocur, & I.H. Robertson, (Eds.), *Cognitive Neurorehabilitation: Evidence and Application* (2<sup>nd</sup> ed., pp. 507-521). Cambridge: Cambridge University Press.

Rabiner DL, Murray DW, Skinner AT, Malone PS. (2010). A Randomized Trial of Two Promising Computer-Based Interventions for Students with Attention Difficulties *J Abnormal Child Psychology, 38*, 131–142.

Robertson, I. H. (1996). *Goal management training: A clinical manual*. Cambridge, UK: PsyConsult.

Robertson, I. H., & Murre, J. M. J. (1999). Rehabilitation of brain damage: Brain plasticity and principles of guided recovery. *Psychological Bulletin, 25*, 544-575.

Rohling, M.L., Faust, M.E., Beverly, B. & Demakis, G. (2009). Effectiveness of cognitive rehabilitation following acquired brain injury: A meta-analytic re-examination of Cicerone et al.'s (2000, 2005) systematic reviews. *Neuropsychology, 23*, 1, 20-39.

Sawchyn, J., Mateer, C.A. & Suffield, J.B. (2004). Awareness, emotional adjustment and injury severity in post-acute brain injury. *Journal of Head Trauma Rehabilitation, 20*, 301-314.

Sjö NM, Spellerberg S, Weidner S, Kihlgren M. (2010). Training of attention and memory deficits in children with acquired brain injury *Acta Paediatrica, 99*:230–236.

Sohlberg, M.M. & Mateer, C.A. (2001). Cognitive Rehabilitation: An Integrative Neuropsychological Approach. New York: Guilford Press.

Sohlberg, M.M. & Turkstra, L.S. (2011). *Optimizing Cognitive Rehabilitation: Effective Instructional Methods*. New York: Guilford.

Sohlberg SM, Avery J, Kennedy M, Ylvisaker M, Coelho C, Turkstra L, Yorkston K. (2003). Practice guidelines for direct attention training. *Journal of Medical Speech-*

*Language Pathology*, 11(3): 19-39.

Solberg MM, Mateer CA. (2011) *Attention Process Training III*. Lash and Associates Publishing, North Carolina.

Soo, C. & Tate, R. (2007). Psychological treatment for anxiety in people with traumatic brain injury. *Cochrane Database of Systematic Reviews*, 3, Art. No.: CD005239. DOI: 10.1002/14651858.CD 005239.pub2.

Spikman, J. M., Boelen, D. H. E., Lamberts, K. F., Brouwer, W. H., & Fasotti, L. (2010). Effects of a multifaceted treatment program for executive dysfunction after acquired brain injury on indications of executive functioning in daily life. *Journal of the International Neuropsychological Society*, 16, 118-129.

Strangman, G.E., O'Neil-Pirozzi, T.M., Supelana, C., Goldstein, R., Katz, D., & Glenn, M.B. (2010). Regional brain morphometry predicts memory rehabilitation outcome after traumatic brain injury. *Frontiers in Human Neuroscience*, 4, 182.

Sumowski, J.F., Wood, H.G., Chiaravalloti, N., Wylie, G.R., Lengenfelder, J. & DeLuca, J. (2010). Retrieval practice: A simple strategy for improving memory after traumatic brain injury. *Journal of the International Neuropsychological Society*, 16, 1147-1150.

Swanson HL.(1999). Instructional components that predict treatment outcomes for students with learning disabilities: Support for a combined strategy and direct instruction model. *Learning Disabilities Research and Practice*, 14(3): 129-140.

Tamm, L, Hughes, C., Ames, L., Pickering, J., Silver, C.H., Stavinoha, P., Castillo, C.L., Rintelmann, J., Moore, J., Foxwell, A., Bolanos, S.G., Hines, T., Nakonezny, P.A., & Emslie, G. (2010). Attention Training for School-Aged Children With ADHD: Results of an Open Trial. *Journal of Attention Disorders*, 14, 1, 86-94.

Thompson J, Kerns K. (2000). Mild traumatic brain injury in children. In: Raskin SA, Mateer CA, eds. *Neuropsychological management of mild traumatic brain injury*. New York: Oxford University Press, pp 233–251.

Thompson K, Biddle KR, Robinson-Long M, Realmuto J, Wang J, Yang QX, Eslinger PJ. (2009). Cerebral plasticity and recovery of function after childhood prefrontal cortex injury. *Developmental Neurorehabilitation*. 12(5): 298-312.

Tiersky, L.A., Anselmi, B., Johnson, M.V., Kurtyka, J., Roosen, E., Schwartz, T. & DeLuca, J. (2005). A trial of neuropsychologic rehabilitation in mild-spectrum traumatic brain injury. *Archives of Physical Medicine and Rehabilitation*, 86, 8, 1565-1574.

Turner-Stokes, L., Paul, S., & Williams, H. (2006). Efficiency of specialist rehabilitation in reducing dependency and costs of continuing care for adults with complex acquired brain injuries. *Journal of Neurology, Neurosurgery, and Psychiatry*, 77, 634-639.



van't Hooft I, Andersson K, Bergman B, Sejersen T, VonWendt L, Bartfai A. (2005). Beneficial effect from a cognitive training programme on children with acquired brain injuries demonstrated in a controlled study. *Brain Injury*, 19, 511–518.

Vas, A. K., Chapman, S. B., Cook, L. G., Elliott, A. C., & Keebler, M. (2011). Higher-order reasoning training years after traumatic brain injury in adults. *Journal of Head Trauma Rehabilitation*, 26, 224-239.

von Sydow, K., Beher, S., Schweitzer, J., & Retzlaff, R. (2010). The efficacy of systemic therapy with adult patients: A meta-content analysis of 38 randomized controlled trials. *Family Process*, 49, 457-485.

Wade, S.L., Walz, N., Carey, J., Williams, K.M., Cass, J., Herren, L., Mark, E., Yeates, K.O. (2010). A randomized trial of teen online problem solving for improving executive function deficits following pediatric traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 25, 409-415.

Wilson, B.A. (2011). 'Cutting edge' developments in neuropsychological rehabilitation and possible future directions. *Brain Impairment*, 12, 33-42.

Wilson BA, Emslie HC, Quirk K, Evans JJ. (2001). Reducing everyday memory and planning problems by means of a paging system: a randomized control crossover study. *Journal of Neurology, Neurosurgery & Psychiatry*, 70, 477–482.

Wright I, Limond J. (2004). A developmental framework for memory rehabilitation in children. *Pediatric Rehabilitation*, 7(2), 85–90.

Ylvisaker M, Feeney T. (2009). Apprenticeship in self-regulation: Supports and interventions for individuals with self-regulatory impairments. *Developmental Neurorehabilitation*, 12(5): 370-379.

Ylvisaker M, Hanks R, Johnson-Greene D. (2002). Perspectives on rehabilitation of individuals with cognitive impairment after brain injury: rationale for reconsideration of theoretical paradigms. *Journal of Head Trauma Rehabilitation*, 17(3), 191–209.

Ylvisaker M, Turlstra L, Coehlo, C, Yorkston K, Kennedy M, Sohlberg MM, Avery J. (2007). Behavioral interventions for children and adults with behaviour disorders after TBI: A systematic review of the evidence. *Brain Injury*, 21(8): 769-805.

You, S.H., Jang S-H, Kim Y-H, Kwon, Y.H., Barrow, I. & Hallett, M. (2005). Cortical reorganization induced by virtual reality therapy in a child with hemiparetic cerebral palsy. *Developmental Medicine in Child Neurology*, 47, 628-635.